

2018/9/12

F-美感極致-米白 (Brisk-Natural white)

2018/9/12

項 目		單位	120g/m ²	160g/m ²	200g/m ²	240g/m ²	測試方式
基重 Basis Weight		g/m ²	125±4%	165±4%	205±4%	245±4%	CNS 1352
厚度 Thickness		μm	140±4%	190±4%	245±4%	300±4%	CNS 3685
白度 Brightness		%ISO	82↑	82↑	82↑	82↑	ISO 2469
不透明度 Opacity		%	92±2	94±2	95±2	97±2	CNS 2387
粗糙度 Roughness	W	μm	3.5↑	3.5↑	3.5↑	4.0↑	TAPPI T555
	F		3.5↑	3.5↑	3.5↑	4.0↑	
抗張強度 Tensile Strength	MD	kg/15mm	9.0↑	11.0↑	13.0↑	16.0↑	CNS 1354
	CD		4.0↑	7.0↑	9.0↑	10.0↑	
撕裂指數 Tear Index	MD	mN.m ² /g	3.0↑	4.0↑	5.0↑	5.0↑	CNS 1355
	CD		3.0↑	4.0↑	5.0↑	5.0↑	
表面強度 Picking	W	A	13±2	13±2	13±2	13±2	CNS 3500
	F		13±2	13±2	13±2	13±2	

Note: The specification refers to an average of a composite sample according to our standard procedures.

Not to be used for purposes other than what we specified. We reserve the right to modifications.