

- With the range of Novatech coated papers, you are sure to reach a very high productivity level, both in terms of printing and finish.
- Ideal for documents with high image content (photos, illustrations, art books, advertising) requiring high quality colour reproduction, very high speed of production (18,000 s/h.), and very good converting and finishing capabilities for publications with large numbers of pages.



NOVATECH GLOSS

Basis Weight (g/m ²)	90	100	115	130	135	150	170	200	220	250	270	300	350
Thickness (µm)	67	74	85	96	100	112	127	150	187	184	235	230	277
Bulk (cm ³ /g)	0.74	0.74	0.74	0.74	0.74	0.75	0.75	0.75	0.85	0.74	0.87	0.77	0.79
Brightness D65 (%)	98	98	98	98	98	98	98	98	98	98	98	98	98
Whiteness CIE	125	125	125	125	125	125	125	125	125	125	125	125	125
Opacity (%)	91	92	94	95	95.5	97	96.9	98.3	98.9	99.1	99.5	99.6	99.8
Gloss Hunter (%)	70	72	72	72	72	72	72	72	72	72	72	72	72
Gloss Lehmann (%)	75	75	75	75	75	75	75	75	75	75	75	75	75
Smoothness PPS (µm)	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.9	0.8	1.0	0.9	1.0

These values are to be considered only as indications and are subject to change according to trade tolerances in the quality specification.

Issue date: May 2015

